

SEMOpX Info – 08 November 2021

## New ETS 3.5.3 version to be launched on 24 November 2021

### Important information – Action required

- New ETS 3.5.3 version go-live for 24 November 2021, subject to successful testing.
- **Current vs Upcoming connection settings for the production environment**
- ETS will upgrade automatically to ETS 3.5.3 for all members using the upgradable version
- **New functionalities** with ETS 3.5.3:
  - Security update
  - **User permission restriction**
  - **Forced logoff**
  - **ETS API: Decommission of schema version 3.2**
- **Action required for all members: Please test your connectivity to the new ETS 3.5.3**

In this communication we would like to share important information related to the new ETS 3.5.3 version planned to go live on 24 November 2021.

# 1. New ETS 3.5.3 client

The new ETS client is available for downloading at the SEMOPX website (<https://www.semopx.com/documents/general-publications/ETS-3.5.3-client.zip>) and accessible via the Simulation 2 environment.

For members using **the Upgradable version of ETS client**, the new client will upgrade automatically to adapt its version to the one used by the ETS server when logging in.

For members using **the Fixed version of ETS client**, the new version must be installed. An ETS installation guide can be found on our website:

[https://www.semopx.com/documents/general-publications/SEMOPx-Client-Installation-\(3.5.3\).pdf](https://www.semopx.com/documents/general-publications/SEMOPx-Client-Installation-(3.5.3).pdf)

The Production server address remains unchanged: **ets.svpx.epexspot.com port 443**

For detailed information on the functionalities, the ETS user guide can be found on our website:

[https://www.semopx.com/documents/general-publications/ETS-Trader-Client-Guide-\(3.5.3\).pdf](https://www.semopx.com/documents/general-publications/ETS-Trader-Client-Guide-(3.5.3).pdf)

## 1.1 Current VS Upcoming connections settings

Below you can find the differences between the current statuses in the connection settings window compared to the upcoming ones with the new client.

The three cases as displayed in this description show all the possible ways to connect to the new client.

Please identify which of these three cases applies for your connection settings and use it to connect in the ETS 3.5.3 client when it goes live into the **production** environment.

## CASE A

### Current connection with ETS 3.4.6

The screenshot shows a window titled "Network Settings [Global Settings]". It has a "Server" section and a "Proxy" section. In the "Server" section, the "Server Address" field contains "ets.svpx.epexspot.com" and the "Server Port" field contains "443". The "Use Secure Connection" checkbox is checked. In the "Proxy" section, the "Use Http Connect Proxy" checkbox is unchecked. The "Proxy Server Address" field contains "your server port here", the "Proxy Server Port" field contains "88", and the "Proxy Server User (optional)" field is empty. At the bottom right of the window, there are "Reset" and "Update" buttons. At the bottom center, it says "Not connected" with a mail icon.

If you are **only** using the **server address** and **server port** fields to connect to 3.4.6 and you fill in these fields (as per the screenshot above) with (**ets.svpx.epexspot.com and port 443**)

### Upcoming connection settings with ETS 3.5.3

In order to connect to the production environment as of the 3.5.3 go live you **MUST update** your settings as per below.

The current setting details will be moved to the Gateway fields and in the Server Address and port you have to use (**ets.epexspot.com port 443**)

Network Settings [Global Settings]

**Server**

Server Address: ets.epexspot.com      Server Port: 443

Use Secure Connection

**Proxy**

Use Http Connect Proxy

Proxy Server Address: your proxy server here      Proxy Server Port: 80      Proxy Server User (optional):

**Gateway**

Use Gateway

Gateway Server Address: ets.svpx.epexspot.com      Gateway Server Port: 443

**Force Logout**

Force Logout Limit: 60      Force Logout Retry Limit: 60


Reset    Update

Not connected

\*point of attention: if you are currently ticking the box: **Use Secure Connection** then please keep on using it.

## **CASE B**

### **Current Connection with 3.4.6**



The screenshot shows a window titled "Network Settings [Global Settings]". It is divided into two main sections: "Server" and "Proxy".

**Server Section:**

- Server Address: ets.svpx.epexspot.com
- Server Port: 443
- Use Secure Connection

**Proxy Section:**

- Use Http Connect Proxy
- Proxy Server Address: abcde.ory
- Proxy Server Port: 123
- Proxy Server User (optional):

If you are using the **server address** and **server port** fields filling in: [ets.svpx.epexspot.com](https://ets.svpx.epexspot.com) port [443](#) and the **Proxy** to connect to 3.4.6 and you fill in those fields (as per the screenshot above).

[\(ets.svpx.epexspot.com and port 443 and your Proxy server details\)](#)

### **Upcoming connection settings with ETS 3.5.3**

In order to connect to the production environment as of the 3.5.3 go live your settings **MUST** be updated as per below

Network Settings [Global Settings]

**Server**

Server Address: ets.epexspot.com      Server Port: 443

Use Secure Connection

**Proxy**

Use Http Connect Proxy

Proxy Server Address: abcde.ory      Proxy Server Port: 123      Proxy Server User (optional):

**Gateway**

Use Gateway

Gateway Server Address: ets.svpx.epexspot.com      Gateway Server Port: 443

**Force Logout**

Force Logout Limit: 60      Force Logout Retry Limit: 60

Reset    Update

Not connected

\*point of attention: if you are currently ticking the box: **Use Secure Connection** then please keep on using it.

## CASE C

### Current Connection with 3.4.6

If in the fields of Server Address and port you are **NOT** using (*ets.svpx.epexspot.com port 443*) but you are using different values (IP, url, etc.) due to your network and security settings (e.g. port redirector, etc.) as per below:

The screenshot shows a window titled "Network Settings [Global Settings]". It is divided into two main sections: "Server" and "Proxy".

**Server Section:**

- Server Address: 123.456.789
- Server Port: 6060
- Use Secure Connection

**Proxy Section:**

- Use Http Connect Proxy
- Proxy Server Address: abcde.ory
- Proxy Server Port: 123
- Proxy Server User (optional):

At the bottom right of the window, there are two buttons: "Reset" (red) and "Update" (teal). Below these buttons, the status "Not connected" is displayed with a small envelope icon.

### Upcoming connection settings with ETS 3.5.3

In order to connect to the production environment as of the 3.5.3 go live your settings will **change** as per below.

**The current values you fill in the Server address and port fields have to be moved to the Gateway respective fields and the Server Address and Port must always be: ets.svpx.epexspot.com port 443 (as per below)**

Network Settings [Global Settings]

**Server**

Server Address: ets.epexspot.com      Server Port: 443

Use Secure Connection

**Proxy**

Use Http Connect Proxy

Proxy Server Address: abcde.ory      Proxy Server Port: 123      Proxy Server User (optional):

**Gateway**

Use Gateway

Gateway Server Address: 123.456.789      Gateway Server Port: 443

**Force Logout**

Force Logout Limit: 60      Force Logout Retry Limit: 60

Reset    Update

Not connected

\*point of attention: if you are currently ticking the box: **Use Secure Connection** then please keep on using it.



Respectively if you are currently using other values in the Server Address and Port and at the same time you use Proxy then the upcoming settings should be:

The screenshot shows a window titled "Network Settings [Global Settings]" with standard window controls. It contains four main sections:

- Server:** Includes "Server Address" (ets.epexspot.com) and "Server Port" (443). A checkbox for "Use Secure Connection" is checked.
- Proxy:** Includes a checked checkbox for "Use Http Connect Proxy". It has "Proxy Server Address" (abcde.ory), "Proxy Server Port" (123), and "Proxy Server User (optional)" (empty).
- Gateway:** Includes a checked checkbox for "Use Gateway". It has "Gateway Server Address" (123.456.789) and "Gateway Server Port" (443).
- Force Logout:** Includes "Force Logout Limit" (60) and "Force Logout Retry Limit" (60).

At the bottom right, there are "Reset" and "Update" buttons. At the bottom center, it says "Not connected" with a refresh icon.

\*point of attention: if you are currently ticking the box: **Use Secure Connection** then please keep on using it.

## 1.2 Security update

**We would like to emphasise that there will be an important update of the security certificates with a change in the certificate authority.** This will ensure security is aligned with the latest market standards and best practices. For this reason, in case you are using the fixed version, the new version ETS 3.5.3 needs to be installed. The functioning of the client will not be impacted.

## 1.3 User permission restriction

This feature in the Trader Front-End will allow the member to manage the permissions of the company's users.

## **1.4 Forced logoff**

ETS 3.5.3 will introduce the possibility to log off their ETS Users themselves. The objective of this change is that a second login is possible in case the first person logged in faces an issue and can't use its User.

## 2. ETS API

With ETS API 3.5.1 the **API schema version 3.2 will be decommissioned**. Therefore, if you are currently using that schema you **need to migrate** to a higher one.

Please find more details in the ETS API package (*Client Application Design Guide* and *Terms of Reference*) for the below enhancements.

API Schema	Enhancements	Benefit
API 3.3.2	<ul style="list-style-type: none"> <li>Market Results status (<i>Unavailable</i>, etc.)</li> </ul>	<ul style="list-style-type: none"> <li><b>Recommended:</b> simplify your market results retrieval loops as explained in our API Terms of Reference</li> </ul>
	<ul style="list-style-type: none"> <li>Trade Report introduction (trade Id)</li> </ul>	<ul style="list-style-type: none"> <li>Optional: Complete XML report (no embedded CSV). Please check the specifications document in the API package (07b)</li> </ul>
	<ul style="list-style-type: none"> <li>Market results available to Non Market Participants</li> </ul>	<ul style="list-style-type: none"> <li>Optional: "Data vendor" access for internal or external data sharing.</li> </ul>
API 3.4.3	<ul style="list-style-type: none"> <li>New Methods to retrieve Trading Limits</li> </ul>	<ul style="list-style-type: none"> <li>Optional</li> </ul>
	<ul style="list-style-type: none"> <li>List of deprecated messages or tags not to used anymore</li> </ul>	<ul style="list-style-type: none"> <li><b>Mandatory:</b> API Package ETS API_Deprecated Tags Decommission List.xlsx</li> </ul>
	<ul style="list-style-type: none"> <li>Password management: Reset Password, Update Password</li> </ul>	<ul style="list-style-type: none"> <li><b>Mandatory:</b> a more secure <i>UpdatePassword</i> request requiring the new and the previous password replaces <i>SetNewPassword</i></li> <li>Optional: possibility to implement a reset password functionality from your API application. Please contact Market Operations to register an email address for your API user in order to receive your activation code.</li> </ul>
	<ul style="list-style-type: none"> <li>Warnings distinguished from Errors New Error tag</li> </ul>	<ul style="list-style-type: none"> <li><b>Mandatory</b></li> <li>A distinction between warnings and real errors</li> <li>A change in the error tag: &lt;ns:errors&gt; becomes &lt;ns:error&gt;.</li> <li>Check the Design Guide for details.</li> </ul>
	<ul style="list-style-type: none"> <li>Market results retrieval: <i>RetrieveAuctionInformation</i> enriched with Auction Max Cancellation time</li> </ul>	<ul style="list-style-type: none"> <li>Optional</li> </ul>
API 3.5.1	<ul style="list-style-type: none"> <li>New Spread block methods. This functionality will be activated later (date TBD).</li> </ul>	<ul style="list-style-type: none"> <li>Optional: to be considered only if upgrading from 3.2 or 3.3 (to avoid having to upgrade later)</li> </ul>

### **3. Action required: Connectivity tests**

In the past months, we asked members to test their connectivity to the new ETS 3.5.3 client. During these tests, some members have encountered difficulties connecting to the new client, mainly due to firewall configuration issues.

**We strongly recommend testing your connection on Simulation 2 environment in order to detect any connectivity issue at an early stage to secure the go live.**

In case you encounter issues connecting, please refer to the Annex of this communication.

## 4. Simulation environment

For testing purposes, SEMOpX offers 2 simulation environments.

Environment	SEMOpX SIMULATION 2
ETS version	3.5.3
<b>Server Address</b>	<b>ets.epexspot.com port 443</b>
<b>Gateway Server Address</b>	<b>ets-svpx.simu2.epexspot.com port 4443</b>
API hostname	ets-simu2.svpx.api.epexspot.com
API port	4444
API end point	<p>https://ets-simu2.svpx.api.epexspot.com:4444/OpenAccess/3.3 (if using the 3.3.2 schema)</p> <p>https://ets-simu2.svpx.api.epexspot.com:4444/OpenAccess/3.4 (if using the 3.4.6 schema)</p> <p>https://ets-simu2.svpx.api.epexspot.com:4444/OpenAccess/3.5 (if using the 3.5.1 schema)</p>
API WSDL version	<p>WSDL v3.5</p> <p>Supported API schemas: 3.3.2, 3.4.6, 3.5.1</p> <p>To retrieve the WSDL :</p> <p>https://ets-simu2.svpx.api.epexspot.com:4444/OpenAccess/3.5?wsdl</p>

Below you can find a screenshot of how the connection settings window should look like:

The screenshot shows a window titled "Network Settings [Global Settings]" with three main sections: Server, Proxy, and Gateway.

- Server Section:**
  - Server Address: ets.epexspot.com
  - Server Port: 443
  - Use Secure Connection
- Proxy Section:**
  - Use Http Connect Proxy
  - Proxy Server Address: your.proxy.server.here
  - Proxy Server Port: 80
  - Proxy Server User (optional):
- Gateway Section:**
  - Use Gateway
  - Gateway Server Address: ets-svpx.simu2.epexspot.com
  - Gateway Server Port: 4443

# Annex

## **Checklist: What to do in case you have issues connecting to ETS 3.5.3**

In case you encounter issues, or if you receive an error message connecting to the new ETS 3.5.3 client in Simulation 2, please follow the below checklist:

- Make sure to use the correct version (**ETS 3.5.3**).
- Please check your firewall to ensure it is not blocking the connection.
- If you still face issues, please check the following steps:
  - Are you connecting from outside of Europe? Please inform Market Operations and provide your IP address so that we can white-list it if necessary.
  - Are you using a Proxy or another “proxy” device inside your network? Please ensure it is not blocking the connection or disabling the encryption.
  - Telnet the connection
  - Ping the connection
- If you still face issues after checking the above points, please contact Market Operations providing the following information:
  - Connection settings screenshot
  - Error message screenshot
  - Connection log
  - The **Public** IP address you are using to connect
  - Timestamp of when you tried to connect and failed

**Contact: Market Operations Team:** [marketops@ops.semopx.com](mailto:marketops@ops.semopx.com)